ELSEVIER

Hearing Research 102 (1996) 192–193

HEARING RESEARCH

Author Index

Ågrup, C., Berggren, P.-O., Köhler, M., Spångberg, M.-L. and Bagger-Sjöbäck, D.
Morphological and functional characteristics of the different cell types in the stria vascularis: a comparison between cells obtained from fresh tissue preparations and cells cultured in vitro (102) 155
Aran, J.-M., see Charlet de Sauvage, R. (102) 15

Bagger-Sjöbäck, D., see Ågrup, C. (102) 155
Berggren, P.-O., see Ågrup, C. (102) 155
Boettcher, F.A., Mills, J.H., Swerdloff, J.L. and Holley, B.L.
Auditory evoked potentials in aged gerbils: responses elicited by noises separated by a silent gap (102) 167
Boyan , B.D., see Pedrozo, H.A. (102) 51

Campbell, K.C.M., Rybak, L.P., Meech, R.P. and Hughes, L.
D-Methionine provides excellent protection from cisplatin ototoxicity in the rat (102) 90
Cant, N.B., see Schofield, B.R. (102) 1
Charlet de Sauvage, R., Lima da Costa, D., Erre, J.-P. and Aran, J.-M.
Changes in CM and CAP with sedation and temperature in the guinea pig: facts and interpretation (102) 15

Dean, D.D., see Pedrozo, H.A. (102) 51
Ding-Pfennigdorff, D., see Müller, M. (102) 133

Erre, J.-P., see Charlet de Sauvage, R. (102) 15

Fregly, M.J., see Rarey, K.E. (102) 63

Gaihede, M.,
Tympanometric preconditioning of the tympanic membrane (102) 28
Garg, L.C., see Rarey, K.E. (102) 63
Gerhardt, K.J., see Rarey, K.E. (102) 63
Gratton, M.A., Schmiedt, R.A. and Schulte, B.A.
Erratum to "Age-related decreases in endocochlear potential are associated with vascular abnormalities in the stria vascularis" [Hearing Research 94 (1996) 116–124] (102) 181
Gratton, M.A., Schmiedt, R.A. and Schulte, B.A.
Age-related decreases in endocochlear potential are associated with vascular abnormalities in the stria vascularis (102) 179

Henson, M.M., Xie, D.-H., Wynne, R.H., Wilson, J.L. and Henson Jr., O.W.
The course and distribution of medial efferent fibers in the cochlea of the mustached bat (102) 99
Henson Jr., O.W., see Henson, M.M. (102) 99
Holley, B.L., see Boettcher, F.A. (102) 167
Hughes, L., see Campbell, K.C.M. (102) 90

Kaga, K., see Yamasoba, T. (102) 116
Klinke, R., see Müller, M. (102) 133
Klis, S.F.L., see van Emst, M.G. (102) 70
Köhler, M., see Ågrup, C. (102) 155
Komeda, M., and Raphael, Y.
Gentamicin distribution in the basilar papilla: possible association with regenerated hair cell orientation (102) 81

Lima da Costa, D., see Charlet de Sauvage, R. (102) 15
Luther, M., see Pedrozo, H.A. (102) 51

Ma, Y.L., see Rarey, K.E. (102) 63
Meech, R.P., see Campbell, K.C.M. (102) 90
Miller, J.M., see Ren, T. (102) 43
Mills, J.H., see Boettcher, F.A. (102) 167
Müller, M., Smolders, J.W.T., Ding-Pfennigdorff, D. and Klinke, R.
Regeneration after tall hair cell damage following severe acoustic trauma in adult pigeons: correlation between cochlear morphology, compound action potential responses and single fiber properties in single animals (102) 133

Nuttall, A.L., see Ren, T. (102) 43

Pedrozo, H.A., Schwartz, Z., Luther, M., Dean, D.D., Boyan , B.D. and Wiederhold, M.L.
A mechanism of adaptation to hypergravity in the statocyst of *Aplysia californica* (102) 51

Raphael, Y., see Komeda, M. (102) 81
Rarey, K.E., Ma, Y.L., Gerhardt, K.J., Fregly, M.J., Garg, L.C. and Rybak, L.P.
Correlative evidence of hypertension and altered cochlear microhomeostasis: electrophysiological changes in the spontaneously hypertensive rat (102) 63
Ren, T., Nuttall, A.L. and Miller, J.M.
Electrically evoked cubic distortion product otoacoustic emissions from gerbil cochlea (102) 43
Rybak, L.P., see Rarey, K.E. (102) 63
Rybak, L.P., see Campbell, K.C.M. (102) 90

Schmidt, S., see Wiegrebe, L. (102) 35
Schmiedt, R.A., see Gratton, M.A. (102) 181
Schmiedt, R.A.,
Effects of aging on potassium homeostasis and the endocochlear potential in the gerbil cochlea (102) 125
Schmiedt, R.A., see Gratton, M.A. (102) 179
Schofield, B.R., and Cant, N.B.
Projections from the ventral cochlear nucleus to the inferior colliculus and the contralateral cochlear nucleus in guinea pigs (102) 1
Schulte, B.A., see Gratton, M.A. (102) 179
Schulte, B.A., see Gratton, M.A. (102) 181
Schwartz, Z., see Pedrozo, H.A. (102) 51
Smolders, J.W.T., see Müller, M. (102) 133

ELSEVIER

Hearing Research 102 (1996) 192–193

HEARING RESEARCH

Author Index

Ågrup, C., Berggren, P.-O., Köhler, M., Spångberg, M.-L. and Bagger-Sjöbäck, D.
Morphological and functional characteristics of the different cell types in the stria vascularis: a comparison between cells obtained from fresh tissue preparations and cells cultured in vitro (102) 155
Aran, J.-M., see Charlet de Sauvage, R. (102) 15

Bagger-Sjöbäck, D., see Ågrup, C. (102) 155
Berggren, P.-O., see Ågrup, C. (102) 155
Boettcher, F.A., Mills, J.H., Swerdloff, J.L. and Holley, B.L.
Auditory evoked potentials in aged gerbils: responses elicited by noises separated by a silent gap (102) 167
Boyan , B.D., see Pedrozo, H.A. (102) 51

Campbell, K.C.M., Rybak, L.P., Meech, R.P. and Hughes, L.
D-Methionine provides excellent protection from cisplatin ototoxicity in the rat (102) 90
Cant, N.B., see Schofield, B.R. (102) 1
Charlet de Sauvage, R., Lima da Costa, D., Erre, J.-P. and Aran, J.-M.
Changes in CM and CAP with sedation and temperature in the guinea pig: facts and interpretation (102) 15

Dean, D.D., see Pedrozo, H.A. (102) 51
Ding-Pfennigdorff, D., see Müller, M. (102) 133

Erre, J.-P., see Charlet de Sauvage, R. (102) 15

Fregly, M.J., see Rarey, K.E. (102) 63

Gaihede, M.,
Tympanometric preconditioning of the tympanic membrane (102) 28
Garg, L.C., see Rarey, K.E. (102) 63
Gerhardt, K.J., see Rarey, K.E. (102) 63
Gratton, M.A., Schmiedt, R.A. and Schulte, B.A.
Erratum to "Age-related decreases in endocochlear potential are associated with vascular abnormalities in the stria vascularis" [Hearing Research 94 (1996) 116–124] (102) 181
Gratton, M.A., Schmiedt, R.A. and Schulte, B.A.
Age-related decreases in endocochlear potential are associated with vascular abnormalities in the stria vascularis (102) 179

Henson, M.M., Xie, D.-H., Wynne, R.H., Wilson, J.L. and Henson Jr., O.W.
The course and distribution of medial efferent fibers in the cochlea of the mustached bat (102) 99
Henson Jr., O.W., see Henson, M.M. (102) 99
Holley, B.L., see Boettcher, F.A. (102) 167
Hughes, L., see Campbell, K.C.M. (102) 90

Kaga, K., see Yamasoba, T. (102) 116
Klinke, R., see Müller, M. (102) 133
Klis, S.F.L., see van Emst, M.G. (102) 70
Köhler, M., see Ågrup, C. (102) 155
Komeda, M., and Raphael, Y.
Gentamicin distribution in the basilar papilla: possible association with regenerated hair cell orientation (102) 81

Lima da Costa, D., see Charlet de Sauvage, R. (102) 15
Luther, M., see Pedrozo, H.A. (102) 51

Ma, Y.L., see Rarey, K.E. (102) 63
Meech, R.P., see Campbell, K.C.M. (102) 90
Miller, J.M., see Ren, T. (102) 43
Mills, J.H., see Boettcher, F.A. (102) 167
Müller, M., Smolders, J.W.T., Ding-Pfennigdorff, D. and Klinke, R.
Regeneration after tall hair cell damage following severe acoustic trauma in adult pigeons: correlation between cochlear morphology, compound action potential responses and single fiber properties in single animals (102) 133

Nuttall, A.L., see Ren, T. (102) 43

Pedrozo, H.A., Schwartz, Z., Luther, M., Dean, D.D., Boyan , B.D. and Wiederhold, M.L.
A mechanism of adaptation to hypergravity in the statocyst of *Aplysia californica* (102) 51

Raphael, Y., see Komeda, M. (102) 81
Rarey, K.E., Ma, Y.L., Gerhardt, K.J., Fregly, M.J., Garg, L.C. and Rybak, L.P.
Correlative evidence of hypertension and altered cochlear microhomeostasis: electrophysiological changes in the spontaneously hypertensive rat (102) 63
Ren, T., Nuttall, A.L. and Miller, J.M.
Electrically evoked cubic distortion product otoacoustic emissions from gerbil cochlea (102) 43
Rybak, L.P., see Rarey, K.E. (102) 63
Rybak, L.P., see Campbell, K.C.M. (102) 90

Schmidt, S., see Wiegrebe, L. (102) 35
Schmiedt, R.A., see Gratton, M.A. (102) 181
Schmiedt, R.A.,
Effects of aging on potassium homeostasis and the endocochlear potential in the gerbil cochlea (102) 125
Schmiedt, R.A., see Gratton, M.A. (102) 179
Schofield, B.R., and Cant, N.B.
Projections from the ventral cochlear nucleus to the inferior colliculus and the contralateral cochlear nucleus in guinea pigs (102) 1
Schulte, B.A., see Gratton, M.A. (102) 179
Schulte, B.A., see Gratton, M.A. (102) 181
Schwartz, Z., see Pedrozo, H.A. (102) 51
Smolders, J.W.T., see Müller, M. (102) 133

Smoorenburg, G.F., see van Emst, M.G. (102) 70
Spångberg, M.-L., see Ågrup, C. (102) 155
Suzuki, M., see Yamasoba, T. (102) 116
Swerdloff, J.L., see Boettcher, F.A. (102) 167

van Emst, M.G., Klis, S.F.L. and Smoorenburg, G.F.
4-Aminopyridine effects on summating potentials in the guinea pig (102) 70

Wiederhold, M.L., see Pedrozo, H.A. (102) 51
Wiegrebe, L., and Schmidt, S.
Temporal integration in the echolocating bat, *Megaderma lyra* (102) 35
Wilson, J.L., see Henson, M.M. (102) 99
Wynne, R.H., see Henson, M.M. (102) 99

Xie, D.-H., see Henson, M.M. (102) 99

Yamasoba, T., Suzuki, M. and Kaga, K.
Influence of chronic kanamycin administration on basement membrane anionic sites in the labyrinth (102) 116

ELSEVIER

Hearing Research 102 (1996) 194–196

HEARING RESEARCH

Subject Index

4-Aminopyridine
Summating potential; Perilymphatic perfusion; Guinea pig (van Emst, M.G. (102) 70)

AChE
Cochlea; Olivocochlear; Bat; Efferent; PHA-L (Henson, M.M. (102) 99)

Acoustic emission
Electrical stimulation; Cochlea; Outer hair cell motility; Distortion product; Gerbil (Ren, T. (102) 43)

Acoustic trauma
Bird; Pigeon; Regeneration; Auditory nerve; Basilar papilla (Müller, M. (102) 133)

Admittance
Compliance; Preconditioning; Repeatability; Precision; Retraction susceptibility (Gaihede, M. (102) 28)

Aging
Stria vascularis; Endocochlear potential; Morphometry; Cochlea; Pathology (Gratton, M.A. (102) 181)

Gerbil; Endocochlear potential; Endolymph; Perilymph; Potassium; Presbyacusis; Cochlea (Schmiedt, R.A. (102) 125)

Auditory brainstem response; Evoked potential; Hearing loss; Presbyacusis (Boettcher, F.A. (102) 167)

Aplysia californica
Hypergravity; Organ; Calcification; Gravity (Pedrozo, H.A. (102) 51)

Ascending pathway
Auditory system; Fluorescent tracer; Neuroanatomy (Schofield, B.R. (102) 1)

Auditory brainstem response
Aging; Evoked potential; Hearing loss; Presbyacusis (Boettcher, F.A. (102) 167)

Auditory nerve
Bird; Pigeon; Acoustic trauma; Regeneration; Basilar papilla (Müller, M. (102) 133)

Auditory system
Ascending pathway; Fluorescent tracer; Neuroanatomy (Schofield, B.R. (102) 1)

Basal body
Gentamicin; Regeneration; Hair cell; Chick (Komeda, M. (102) 81)

Basement membrane anionic sites
Kanamycin; Ototoxicity; Charge barrier; Stria vascularis; Spiral limbus (Yamasoba, T. (102) 116)

Basilar papilla
Bird; Pigeon; Acoustic trauma; Regeneration; Auditory nerve (Müller, M. (102) 133)

Bat
Psychophysics; Temporal integration (Wiegrebe, L. (102) 35)

Cochlea; Olivocochlear; Efferent; PHA-L; AChE (Henson, M.M. (102) 99)

Bird
Pigeon; Acoustic trauma; Regeneration; Auditory nerve; Basilar papilla (Müller, M. (102) 133)

Ca^{2+}-transport
Inner ear; Endolymph; Guinea pig (Ågrup, C. (102) 155)

Calcification
Hypergravity; Organ; *Aplysia californica*; Gravity (Pedrozo, H.A. (102) 51)

Charge barrier
Kanamycin; Ototoxicity; Basement membrane anionic sites; Stria vascularis; Spiral limbus (Yamasoba, T. (102) 116)

Chick
Gentamicin; Regeneration; Hair cell; Basal body (Komeda, M. (102) 81)

Cisplatin
Ototoxicity; Methionine; Protection (Campbell, K.C.M. (102) 90)

Cochlea
Stria vascularis; Endocochlear potential; Morphometry; Aging; Pathology (Gratton, M.A. (102) 181)

Electrical stimulation; Outer hair cell motility; Acoustic emission; Distortion product; Gerbil (Ren, T. (102) 43)

Olivocochlear; Bat; Efferent; PHA-L; AChE (Henson, M.M. (102) 99)

Gerbil; Endocochlear potential; Endolymph; Perilymph; Potassium; Presbyacusis; Aging (Schmiedt, R.A. (102) 125)

Compliance
Admittance; Preconditioning; Repeatability; Precision; Retraction susceptibility (Gaihede, M. (102) 28)

Compound action potential
Hypertension; Endocochlear potential; Potassium; Inner ear (Rarey, K.E. (102) 63)

Convolution
Xylazine; Temperature; VIIIth nerve compound action potential (Charlet de Sauvage, R. (102) 15)

Distortion product
Electrical stimulation; Cochlea; Outer hair cell motility; Acoustic emission; Gerbil (Ren, T. (102) 43)

Efferent
Cochlea; Olivocochlear; Bat; PHA-L; AChE (Henson, M.M. (102) 99)

Electrical stimulation
Cochlea; Outer hair cell motility; Acoustic emission; Distortion product; Gerbil (Ren, T. (102) 43)

Endocochlear potential
Stria vascularis; Morphometry; Aging; Cochlea; Pathology (Gratton, M.A. (102) 181)

Hypertension; Compound action potential; Potassium; Inner ear (Rarey, K.E. (102) 63)

Gerbil; Endolymph; Perilymph; Potassium; Presbyacusis; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Endolymph
Gerbil; Endocochlear potential; Perilymph; Potassium; Presbyacusis; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Inner ear; Guinea pig; Ca^{2+}-transport (Ågrup, C. (102) 155)

Evoked potential
Aging; Auditory brainstem response; Hearing loss; Presbyacusis (Boettcher, F.A. (102) 167)

Fluorescent tracer
Auditory system; Ascending pathway; Neuroanatomy (Schofield, B.R. (102) 1)

Gentamicin
Regeneration; Hair cell; Basal body; Chick (Komeda, M. (102) 81)

Gerbil
Electrical stimulation; Cochlea; Outer hair cell motility; Acoustic emission; Distortion product (Ren, T. (102) 43)

Endocochlear potential; Endolymph; Perilymph; Potassium; Presbyacusis; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Gravity
Hypergravity; Organ; Calcification; *Aplysia californica* (Pedrozo, H.A. (102) 51)

Guinea pig
Summating potential; 4-Aminopyridine; Perilymphatic perfusion (van Emst, M.G. (102) 70)

Inner ear; Endolymph; Ca^{2+}-transport (Ågrup, C. (102) 155)

Hair cell
Gentamicin; Regeneration; Basal body; Chick (Komeda, M. (102) 81)

Hearing loss
Aging; Auditory brainstem response; Evoked potential; Presbyacusis (Boettcher, F.A. (102) 167)

Hypergravity
Organ; Calcification; *Aplysia californica*; Gravity (Pedrozo, H.A. (102) 51)

Hypertension
Compound action potential; Endocochlear potential; Potassium; Inner ear (Rarey, K.E. (102) 63)

Inner ear
Hypertension; Compound action potential; Endocochlear potential; Potassium (Rarey, K.E. (102) 63)

Endolymph; Guinea pig; Ca^{2+}-transport (Ågrup, C. (102) 155)

Kanamycin
Ototoxicity; Charge barrier; Basement membrane anionic sites; Stria vascularis; Spiral limbus (Yamasoba, T. (102) 116)

Methionine
Cisplatin; Ototoxicity; Protection (Campbell, K.C.M. (102) 90)

Morphometry
Stria vascularis; Endocochlear potential; Aging; Cochlea; Pathology (Gratton, M.A. (102) 181)

Neuroanatomy
Auditory system; Ascending pathway; Fluorescent tracer (Schofield, B.R. (102) 1)

Olivocochlear
Cochlea; Bat; Efferent; PHA-L; AChE (Henson, M.M. (102) 99)

Organ
Hypergravity; Calcification; *Aplysia californica*; Gravity (Pedrozo, H.A. (102) 51)

Ototoxicity
Cisplatin; Methionine; Protection (Campbell, K.C.M. (102) 90)

Kanamycin; Charge barrier; Basement membrane anionic sites; Stria vascularis; Spiral limbus (Yamasoba, T. (102) 116)

Outer hair cell motility
Electrical stimulation; Cochlea; Acoustic emission; Distortion product; Gerbil (Ren, T. (102) 43)

Pathology
Stria vascularis; Endocochlear potential; Morphometry; Aging; Cochlea (Gratton, M.A. (102) 181)

Perilymph
Gerbil; Endocochlear potential; Endolymph; Potassium; Presbyacusis; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Summating potential; 4-Aminopyridine; Guinea pig (van Emst, M.G. (102) 70)

PHA-L
Cochlea; Olivocochlear; Bat; Efferent; AChE (Henson, M.M. (102) 99)

Pigeon
Bird; Acoustic trauma; Regeneration; Auditory nerve; Basilar papilla (Müller, M. (102) 133)

Potassium
Hypertension; Compound action potential; Endocochlear potential; Inner ear (Rarey, K.E. (102) 63)

Gerbil; Endocochlear potential; Endolymph; Perilymph; Presbyacusis; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Precision
Compliance; Admittance; Preconditioning; Repeatability; Retraction susceptibility (Gaihede, M. (102) 28)

Preconditioning
Compliance; Admittance; Repeatability; Precision; Retraction susceptibility (Gaihede, M. (102) 28)

Presbyacusis
Gerbil; Endocochlear potential; Endolymph; Perilymph; Potassium; Aging; Cochlea (Schmiedt, R.A. (102) 125)

Aging; Auditory brainstem response; Evoked potential; Hearing loss (Boettcher, F.A. (102) 167)

Protection
Cisplatin; Ototoxicity; Methionine (Campbell, K.C.M. (102) 90)

Psychophysics
Temporal integration; Bat (Wiegrebe, L. (102) 35)

Regeneration
Gentamicin; Hair cell; Basal body; Chick (Komeda, M. (102) 81)

Bird; Pigeon; Acoustic trauma; Auditory nerve; Basilar papilla (Müller, M. (102) 133)

Repeatability
Compliance; Admittance; Preconditioning; Precision; Retraction susceptibility (Gaihede, M. (102) 28)

Retraction susceptibility
Compliance; Admittance; Preconditioning; Repeatability; Precision (Gaihede, M. (102) 28)

Spiral limbus
Kanamycin; Ototoxicity; Charge barrier; Basement membrane anionic sites; Stria vascularis (Yamasoba, T. (102) 116)

Stria vascularis
Endocochlear potential; Morphometry; Aging; Cochlea; Pathology (Gratton, M.A. (102) 181)

Kanamycin; Ototoxicity; Charge barrier; Basement membrane anionic sites; Spiral limbus (Yamasoba, T. (102) 116)

Summating potential
4-Aminopyridine; Perilymphatic perfusion; Guinea pig (van Emst, M.G. (102) 70)

Temperature
Xylazine; VIIIth nerve compound action potential; Convolution (Charlet de Sauvage, R. (102) 15)

Temporal integration
Psychophysics; Bat (Wiegrebe, L. (102) 35)

VIIIth nerve compound action potential
Xylazine; Temperature; Convolution (Charlet de Sauvage, R. (102) 15)

Xylazine
Temperature; VIIIth nerve compound action potential; Convolution (Charlet de Sauvage, R. (102) 15)